

APPENDIX 1

Table 1: HARLTON CLUNCH PIT: TREE SURVEY DECEMBER 2013 (Working Document)

Nos	Species		Height m	Dia cm	Crown Spread m	Age Young, Early Mature, Mature	Works Required								Additional Comments	Risk High, Medium, Low	Bat Potential High, Medium, Low	Woodpecker Holes Yes/No	Work Done Yes/No	
	Common name	Latin Name					No Tree Works	Kill Ivy	Remove deadwood	crown uplift	Fell for safety	Retain for ecological reasons	Remove swing	Pollard to xM high						
1	Ash	<i>Fraxinus excelsior</i>	8	21	7	EM				x						Crown uplift over field.	L	L	N	N
2	Ash	<i>Fraxinus excelsior</i>	12	41	12	EM		x								Kill ivy.	L	L	N	N
3	Sycamore	<i>Acer pseudoplatanus</i>	8	22	6	EM	x									No works required.	L	L	N	N
4	Ash	<i>Fraxinus excelsior</i>	4	37	12	EM			x							Removal of deadwood.	L	L	N	N
5	Sycamore	<i>Acer pseudoplatanus</i>	19	86	16	M			X	X						Small basal cavities between root flares and also on field side of tree due to cattle grazing. Decay cavities at old branch wounds. Bifurcates at 2m with included bark noted. Remove hanger over path ASAP. Monitor annually.	M	M	N	N
6	Ash	<i>Fraxinus excelsior</i>	16	49	12	M		x	x							Removal of deadwood & kill ivy.	L	L	N	N
7	Ash	<i>Fraxinus excelsior</i>	14	31	7	EM	x									No works required.	L	L	N	N
8	Prunus	<i>Prunus cv</i>	8	21	4	M		X	X					1		Leans over footpath.	L	L	N	N
9	Mixed					M			X		X	X				Laburnum and Blackthorn group. Laburnum in poor condition. Fell dead trees and leave in situ for habitat creation.	L	L	N	N
10	Ash	<i>Fraxinus excelsior</i>	14	60	11	M		x	x							Tree trifurcates at base, ivy present on central trunk, remove all deadwood & crown clean.	L	L	N	N
11	Sycamore	<i>Acer pseudoplatanus</i>	14	31	10	M	x									No works required.	L	L	N	N
12	Horse chestnut	<i>Aesculus hippocastanum</i>	16	58	16	M			X							Exposed roots on path are damaged.	L	L	N	N
13	Ash	<i>Fraxinus excelsior</i>	12	80	12	M			X							Old pollard with 4 trunks.	L	L	N	N
14	Sycamore	<i>Acer pseudoplatanus</i>	12	31	8	M		x								No works required. Mature ivy present.	L	L	N	N
15	Sycamore	<i>Acer pseudoplatanus</i>	12	45	11	M		x								No works required. Mature ivy present.	L	L	N	N
16	Ash	<i>Fraxinus excelsior</i>	11	30	7	M	x									No works required.	L	L	N	N
17	Sycamore	<i>Acer pseudoplatanus</i>	11	31	5	M	X	X								In adjacent field.	L	L	N	N
18	Ash	<i>Fraxinus excelsior</i>	14	80	11	M		x	x							Trifurcates at base, mature ivy present , removal of deadwood in upper canopy.	L	L	N	N
19	Ash	<i>Fraxinus excelsior</i>	11	18	5	M							X			Remove string around trunk at 1.6m high.	L	L	N	N
20	Sycamore x 3	<i>Acer pseudoplatanus</i>	16	39	17	M		x	x							Situated on field edge an old coppice stool , Mature ivy present > 3. No work required.	L	L	N	N

21	Sycamore	<i>Acer pseudoplatanus</i>	15	34	6	M									0.5	Old coppice with extensive basal decay and water pocket. Re-coppice tree to historic coppice point.	L	L	N	N
22	Red Horse chestnut	<i>Aesculus x carnea</i>	16	33	7	M	X									No works required.	L	L	N	N
23	Sycamore	<i>Acer pseudoplatanus</i>	18	100+	14	M			X							Remove hanger on field side.	L	L	N	N
24	Horse chestnut	<i>Aesculus hippocastanum</i>	17	60	12	M	X									No works required.	L	L	N	N
25	Sycamore	<i>Acer pseudoplatanus</i>	13	65	10	M	X									No works required.	L	L	N	N
26	Ash	<i>Fraxinus excelsior</i>	18	41	16	M	x	x	x							Bifurcates at 2.5m.	L	L	N	N
27	Sycamore	<i>Acer pseudoplatanus</i>	18	3 X 50	18	M	X	X								Trifurcates at base.	L	L	N	N
28	Ash	<i>Fraxinus excelsior</i>	18	2 X 21	16	M	X	X								Trifurcates at base.	L	L	N	N
29	Sycamore	<i>Acer pseudoplatanus</i>	14	21	7	M	X	X								No works required.	L	L	N	N
30	Horse chestnut	<i>Aesculus hippocastanum</i>	17	58	14	M		X	X							Damage to bark and trunk. Cavity with decay and water pocket noted.	L	L	N	N
31	Ash	<i>Fraxinus excelsior</i>	14	33	14	M		X								Roots are being undermined by erosion of quarry face and large anchor roots are being damaged from the footpath usage.	L	L	N	N
32	Sycamore	<i>Acer pseudoplatanus</i>	18	80	16	M	X									No works required	L	L	N	N
33	Sycamore	<i>Acer pseudoplatanus</i>	16	75	17	M		X	X							Epicormic growing through chain-link fence. Prune back to avoid further damage.	L	L	N	N
34	Ash	<i>Fraxinus excelsior</i>	17	90	14	M	X									No works required.	L	L	N	N
35	Sycamore	<i>Acer pseudoplatanus</i>	17	65	12	M		X								Top of pit edge. Significant basal epicormic.	L	L	N	N
36	Sycamore	<i>Acer pseudoplatanus</i>	17	39	8	M	X									Located on top of a cave with a very thin roof structure. Roots severed at edge of pit with decay evident as ground erodes away. Monitor annually.	L	L	N	N
37	Sycamore	<i>Acer pseudoplatanus</i>	14	27	7	M	x									No works required.	L	L	N	N
38	Sycamore	<i>Acer pseudoplatanus</i>	16	50 X 2	12	M	X	X								Bifurcates at base into two co-dominants.	L	L	N	N
39	Sycamore	<i>Acer pseudoplatanus</i>	13	55	11	M				X						Trifurcates at 1.8m. Decay in branch wounds on trunk. Fruiting body of Dryads saddle noted in branch union.	L	L	N	N
40	Ash	<i>Fraxinus excelsior</i>	14	40	10	M		x								Mature ivy present , no works required.	L	L	N	N
41	Ash	<i>Fraxinus excelsior</i>	17	63	14	M	X									Large Innonotus hispidus fruiting bracket at 2.5m. Leans to the east towards the field.	L	L/M	N	N
42	Ash	<i>Fraxinus excelsior</i>	7	22	4	M		X			X					80% dead. Bark necrosis in-between root flares.	L	M	N	N
43	Horse chestnut	<i>Aesculus hippocastanum</i>	18	100+	19	M	X									Multi-forks at 0.5-1.5m high.	L	L	N	N
44	Sycamore	<i>Acer pseudoplatanus</i>	9	22	6	M	x									No works required.	L	L	N	N
45	Ash	<i>Fraxinus excelsior</i>	17	36	10	M	x									Tree bifurcates at 1.5m. No works required.	L	L	N	N
46	Ash	<i>Fraxinus excelsior</i>	18	50	17	M	x									Tree bifurcates at 2.5m, No works required.	L	L	N	N
47	Ash	<i>Fraxinus excelsior</i>	16	33	10	M	x									No works required.	L	L	N	N
48	Beech	<i>Fagus sylvatica</i>	20	69	14	M				X	X					Significant lean with root plate lifted out of ground at 45deg angle. Included bark at fork. Exposed roots have decay present. Fell, make safe and leave on ground for habitat	L	L	N	N
49	Sycamore	<i>Acer pseudoplatanus</i>	17	29	7	M	X									Roots undermined.	L	L	N	N
50	Ash	<i>Fraxinus excelsior</i>	16	32	6	M	x									No works required.	L	L	N	N

Table 1

51	Sycamore	<i>Acer pseudoplatanus</i>	14	25	6	M	x									No works required.	L	L	N	N
52	Sycamore	<i>Acer pseudoplatanus</i>	14	25	5	M	x									No works required.	L	L	N	N
53	Sycamore	<i>Acer pseudoplatanus</i>	10	18	6	M	x									No works required.	L	L	N	N
54	Ash	<i>Fraxinus excelsior</i>	19	45	16	M								4		Innnotus brackets pollard to 4m	L	L	N	N
55	Ash	<i>Fraxinus excelsior</i>	16	30	7	M								4		Basal decay noted. Fruiting bodies of <i>Daldinia concentrica</i> also present. Pollard to 4m high due to proximity to footpath so as to remove weight in the canopy.	M	L	N	N
56	Ash	<i>Fraxinus excelsior</i>	14	23	8	M	X									Leans significantly to the east.	L	L	N	N
57	Horse chestnut	<i>Aesculus hippocastanum</i>	17	25	7	M	X									Bifurcates at 0.5m high.	L	L	N	N
58	Sycamore	<i>Acer pseudoplatanus</i>	10	15	3	EM	X	X								No works required.	L	L	N	N
59	Ash	<i>Fraxinus excelsior</i>	18	19	4	M	X	X								No works required.	L	L	N	N
60	Ash	<i>Fraxinus excelsior</i>	8	45	12	M		x								Coppice stool kill ivy.	L	L	N	N
61	Ash	<i>Fraxinus excelsior</i>	18	33	14	M	X	X								No works required.	L	L	N	N
62	Sycamore	<i>Acer pseudoplatanus</i>	14	23	7	M	X	X								No works required.	L	L	N	N
63	Ash	<i>Fraxinus excelsior</i>	12	2 X 18	15	M	X	X								No works required	L	L	N	N
64	Sycamore	<i>Acer pseudoplatanus</i>	22	80	12	M		X	X							Bifurcates at 2.5m into 2 co-dominants.	L	L	N	N
65	Ash	<i>Fraxinus excelsior</i>	18	40	10	M	X	X								No works required.	L	L	N	N
66	Sycamore	<i>Acer pseudoplatanus</i>	20	18	3	M	X	X								No works required.	L	L	N	N
67	Sycamore	<i>Acer pseudoplatanus</i>	20	30	3	M	X	X								No works required.	L	L	N	N
68	Ash	<i>Fraxinus excelsior</i>	11	33	0	M	X						X			Top blown out. Woodpecker hole present.	L	H	Y	N
69	Ash	<i>Fraxinus excelsior</i>	20	42	10	M							X			Small amount of deadwood in canopy over the footpath to remove.	L	L	N	N
70	Horse chestnut	<i>Aesculus hippocastanum</i>	10	35	7	M	X									Growing out of the base of T69. Bifurcates at c0.5m high. Poor quality and suppressed by Ash.	L	L	N	N
71	Horse chestnut	<i>Aesculus hippocastanum</i>	18	42	12	M	X									No works required	L	L	N	N
72	Horse chestnut	<i>Aesculus hippocastanum</i>	10	32	8	M	X									Bifurcates at 1.5m. Small limb over footpath. Canopy suppressed by T73.	L	L	N	N
73	Ash	<i>Fraxinus excelsior</i>	21	38	9	M		X	X							Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
74	Ash	<i>Fraxinus excelsior</i>	14	20	3	M		X	X							Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
75	Beech	<i>Fagus sylvatica</i>	2.5m	100+	0	M	X						X			Dead specimen. Snapped off at 3m high with remaining trunk and branches cut up and stacked on east side of footpath. Evidence of damage to neighbouring trees and some branches still lodged and hanging in adjacent canopies. Retain for ecological purposes.	L	M	N	N
76	Sycamore	<i>Acer pseudoplatanus</i>	17	40	9	M		X	X							Branch hanging in canopy from T75.	M	L	N	N
77	Ash	<i>Fraxinus excelsior</i>	17	35	11	M	X	X								No works required.	L	L	N	N
78	Horse chestnut	<i>Aesculus hippocastanum</i>	20	75	15	M							X			Large hanging limb in canopy. Large lower limb on west side has split out from when T75 struck it. Additional deadwood and limbs to remove in canopy. Located adjacent to the footpath so works are essential ASAP.	H	L	N	N
79	Horse chestnut	<i>Aesculus hippocastanum</i>	22	70	15	M	X									No works required.	L	L	N	N

80	Ash	<i>Fraxinus excelsior</i>	19	43	10	M		X							Sever ivy at the base of the tree.	L	L	N	N
81	Sycamore	<i>Acer pseudoplatanus</i>	12	22	6	M			X						Uplift over path.	L	L	N	N
82	Horse chestnut	<i>Aesculus hippocastanum</i>	11	32	7	M			X						Pollarded at c1.5m with 6 trunks and decay at ground level. Hanging branch near footpath to remove.	M	L	N	Y
83	Sycamore	<i>Acer pseudoplatanus</i>	14	30	15	M	X								Bifurcates at 1.5m	L	L	N	N
84	Ash	<i>Fraxinus excelsior</i>	14	40	3	M		X							Poor health with <i>Daldinia concentrica</i> fruiting bodies noted on root. Significant deadwood. Ivy covers 95% of canopy.	L	M	N	N
85	Sycamore	<i>Acer pseudoplatanus</i>	14	28	4	M		X							Sever ivy at the base of the tree.	L	L	N	N
86	Ash	<i>Fraxinus excelsior</i>	13	38	5	M			X			X			Bifurcates at c0.6m high. Top of canopy has suffered from storm damage. Approx.10 woodpecker holes noted. Large branch over the footpath requires trimming to make safe and remove hanging branch over the footpath	M	M	Y	N
87	Horse chestnut	<i>Aesculus hippocastanum</i>	13	39	10	M	X								No works required.	L	L	N	N
88	Sycamore	<i>Acer pseudoplatanus</i>	7	18	2	M	X	X							No works required.	L	L	N	N
89	Sycamore	<i>Acer pseudoplatanus</i>	17	40	11	M	X	X							No works required.	L	L	N	N
90	Sycamore	<i>Acer pseudoplatanus</i>	16	45	11	M	X								Trifurcates at c3m high. Soil compaction from footpath causing anaerobic soil conditions.	L	L	N	N
91	Sycamore	<i>Acer pseudoplatanus</i>	12	26	8	M		X							Remove epicormic growth growing through fence.	L	L	N	N
92	Ash	<i>Fraxinus excelsior</i>	10	25	7	M	X	X							Leans in to the adjacent field and smothered in ivy.	L	L	N	N
93	Ash	<i>Fraxinus excelsior</i>	14	41	12	M	X	X							Innonotus hispidus brackets at 0.5m high. Top blown out and deadwood present on ground. Leans out into the field.	L	L	N	N
94	Sycamore	<i>Acer pseudoplatanus</i>	18	42	9	M	X	X							No works required	L	L	N	N
95	Ash	<i>Fraxinus excelsior</i>	22	90	20	M	X	X							Leans out towards field.	L	L	N	N
96	Sycamore	<i>Acer pseudoplatanus</i>	17	40	11	M	X								No works required.	L	L	N	N
97	Sycamore	<i>Acer pseudoplatanus</i>	17	40	5	M	X	X							No works required.	L	L	N	N
98	Sycamore	<i>Acer pseudoplatanus</i>	20	51	12	M	X	X							Bifurcates at c6m high. Remove Ash branches from lower part of canopy for safety reasons.	L	L	N	N
99	Elm	<i>Ulmus procera</i>	10	15	4	EM	X								No works required.	L	L	N	N
100	Elm	<i>Ulmus procera</i>	18	38	14	M	X								No works required.	L	L	N	N
101	Elm	<i>Ulmus procera</i>	18	39	9	M	X								No works required.	L	L	N	N
102	Elm	<i>Ulmus procera</i>	8	25	2	M	X	X							No works required.	L	L	N	N
103	Elm	<i>Ulmus procera</i>	20	2 X 35	14	M	X	X							Bifurcates at 2m high.	L	L	N	N
104	Elm	<i>Ulmus procera</i>	14	30	5	M	X	X							No works required.	L	L	N	N
105	Elm	<i>Ulmus procera</i>	18	30	8	M	X								No works required.	L	L	N	N
106	Sycamore	<i>Acer pseudoplatanus</i>	22	45	14	M	X	X							No works required.	L	L	N	N
107	Elm	<i>Ulmus procera</i>	16	28	12	M	X								No works required.	L	L	N	N
108	Elm	<i>Ulmus procera</i>	16	28	12	M	X								No works required.	L	L	N	N
109	Elm	<i>Ulmus procera</i>	18	28	12	M	X								Remove hanging branch.	L	L	N	N
110	Elm	<i>Ulmus procera</i>								X					Dead tree.	L	L	N	N
111	Elm	<i>Ulmus procera</i>	16	22	9	M	X								No works required.	L	L	N	N

112	Elm	<i>Ulmus procera</i>	9	15	4	EM	X								No works required.	L	L	N	N
113	Elm	<i>Ulmus procera</i>	14	23	4	M	X								Basal damage and decay noted.	L	L	N	N
114	Hornbeam	<i>Carpinus betulus</i>	17	45	14	M			X						Significant amount of deadwood in canopy over the footpath to remove.	H	L	N	N
115	Elm	<i>Ulmus procera</i>	21	50	15	M	X								No works required.	L	L	N	N
116	Hornbeam	<i>Carpinus betulus</i>	14	70	8	M			X						Multi-stemmed coppice stool with footpath either side.	L	L	N	N
117	Hornbeam	<i>Carpinus betulus</i>	17	39	11	M	X	X							Sign nailed to trunk - remove and put on sign post.	L	L	N	N
118	Elm	<i>Ulmus procera</i>	15	22	5	M	X	X							No works required.	L	L	N	N
119	Sycamore	<i>Acer pseudoplatanus</i>	15	35	7	M	X								Bifurcates at 0.5m high.	L	L	N	N
120	Elm	<i>Ulmus procera</i>	17	32	7	M	X								No works required.	L	L	N	N
121	Elm	<i>Ulmus procera</i>	18	29	7	M	X								No works required.	L	L	N	N
122	Elm	<i>Ulmus procera</i>	22	37	11	M	X								No works required.	L	L	N	N
123	Sycamore	<i>Acer pseudoplatanus</i>	18	39	12	M	X	X							.	L	L	N	N
124	Ash	<i>Fraxinus excelsior</i>	18	60	10	M	X	X							Trifurcates at c0.3m high	L	L	N	N
125	Elm	<i>Ulmus procera</i>	18	28	14	M	X	X							Two trees located next to each other.	L	L	N	N
126	Elm	<i>Ulmus procera</i>	10	25	4	M	X	X							No works required.	L	L	N	N
127	Elm	<i>Ulmus procera</i>	14	15	7	M		X	X						Sever the ivy at the base of the tree and remove all deadwood	L	L	N	N
128	Hawthorn	<i>Crataegus monogyna</i>	8	15	4	M	X	X							No works required.	L	L	N	N
129	Ash	<i>Fraxinus excelsior</i>	16	65	10	M			X	X	X		4	Large co-dominant has split out from 3m high. Trunk has extensive decay, making remaining co-dominant a medium risk factor. Pollard down to 4m to make safe and retain trunk on site in large sections.	M	M	N	N	
130	Elm	<i>Ulmus procera</i>	22	45	15	M			X						Remove deadwood.	L	L	N	N
131	Ash	<i>Fraxinus excelsior</i>	22	45	15	M		X	X						Woodpecker holes at c15m high.	M	M	Y	N
132	Elm	<i>Ulmus procera</i>	15	30	12	M			X						Old branch wounds showing signs of decay. Tree has blown over and is resting in the canopy - this needs removing ASAP	M	L	N	N
133	Ash	<i>Fraxinus excelsior</i>	12	2 X 15	9	EM	X								Bifurcated specimen.	L	L	N	N
134	Ash	<i>Fraxinus excelsior</i>	12	23	12	M	X								No works required.	L	L	N	N
135	Elm	<i>Ulmus procera</i>	15	36	15	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	M	N	N
136	Elm	<i>Ulmus procera</i>	11	21	3	M		X							Sever ivy at the base of the tree.	L	L	N	N
137	Elm	<i>Ulmus procera</i>	14	31	7	M			X						Dead tree leaning in canopy to be removed from over the footpath	L	L	N	N
138	Elm	<i>Ulmus procera</i>	15	29	10	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
139	Elm	<i>Ulmus procera</i>	14	17	6	M		X							Sever ivy at the base of the tree.	L	L	N	N
140	Elm	<i>Ulmus procera</i>	16	22	7	M	X								No works required.	L	L	N	N
141	Elm	<i>Ulmus procera</i>	16	21	9	M	X								No works required.	L		N	N
142	Elm	<i>Ulmus procera</i>	5	25	6	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
143	Elm	<i>Ulmus procera</i>	9	22	4	EM		X							Sever ivy at the base of the tree.	L	L	N	N
144	Elm	<i>Ulmus procera</i>	9	19	5	EM	X								No works required.	L	L	N	N
145	Elm	<i>Ulmus procera</i>	14	31	8	M			X						Leans to the north.	L	L	N	N

146	Elm	<i>Ulmus procera</i>	7	32	4	M						X			Leaning and next to path. Woodpecker holes noted. Strap to T137 for safety reasons.	M	M	Y	N
147	Elm	<i>Ulmus procera</i>	16	37	8	M			X						Remove deadwood.	L	L	N	N
148	Elm	<i>Ulmus procera</i>	18	74	12	M	X								No works required.	L	L	N	N
149	Elm	<i>Ulmus procera</i>	18	28	6	M	X								No works required.	L	L	N	N
150	Horse chestnut	<i>Aesculus hippocastanum</i>	22	91	19	M			X		X				Remove deadwood in short-term. Fell in 5 years time as there is extensive basal decay and 1 dead trunk. Trifurcates at base with extensive included bark.	L	L	N	N
151	Horse chestnut	<i>Aesculus hippocastanum</i>	6	2 X 18	5	EM	X								No works required.	L	L	N	N
152	Ash	<i>Fraxinus excelsior</i>	18	29	9	M			X						Remove deadwood.	L	L	N	N
153	Sycamore	<i>Acer pseudoplatanus</i>	18	25	9	M			X						Remove deadwood.	L	L	N	N
154	Sycamore	<i>Acer pseudoplatanus</i>	17	21	5	EM	X								No works required.	L	L	N	N
155	Sycamore	<i>Acer pseudoplatanus</i>	19	47	12	M			X						Remove deadwood.	L	L	N	N
156	Elm	<i>Ulmus procera</i>	17	26	9	M	X								No works required.	L	L	N	N
157	Ash	<i>Fraxinus excelsior</i>	19	42	12	M			X			X			Top blown out since 2011 survey. Remove hanging branches	M	M	Y	N
158	Elm	<i>Ulmus procera</i>	7	21	4	M			X						Sever ivy at the base of the tree.	L	L	N	N
159	Sycamore	<i>Acer pseudoplatanus</i>	18	41	13	M			X					7	Sooty Bark Disease present and canopy is 80% dead. Pollard to 7m and remove deadwood.	L	L	N	N
160	Elm	<i>Ulmus procera</i>	18	31	9	M	X								No works required	L	L	N	N
161	Elm	<i>Ulmus procera</i>	20	31	12	M			X	X					Decay pocket at c3m high to monitor annually.	L	L	N	N
162	Sycamore	<i>Acer pseudoplatanus</i>	20	35	12	M			X	X					Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
163	Sycamore	<i>Acer pseudoplatanus</i>	17	38	11	M			X						Remove deadwood.	L	M	Y	N
164	Sycamore	<i>Acer pseudoplatanus</i>	7	33	6	M						X			90% dead. Leans towards footpath.	L	M	Y	N
165	Elm	<i>Ulmus procera</i>	21	38	14	M			X						Sever ivy at the base of the tree.	L	L	N	N
166	Elm	<i>Ulmus procera</i>	14	38	16	M			X	X					Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
167	Elm	<i>Ulmus procera</i>	9	19	9	EM			X						Remove deadwood.	L	L	N	N
168	Ash	<i>Fraxinus excelsior</i>	18	37	14	M			X						Sever ivy at the base of the tree.	L	L	N	N
169	Ash	<i>Fraxinus excelsior</i>	15	29	9	M			X						Remove deadwood.	L	L	N	N
170	Elm	<i>Ulmus procera</i>	20	38	14	M	X								No works required.	L	L	N	N
171	Elm	<i>Ulmus procera</i>	8	24	9	M	X								No works required.	L	L	N	N
172	Elm	<i>Ulmus procera</i>	11	24	9	M	X								No works required.	L	L	N	N
173	Ash	<i>Fraxinus excelsior</i>	13	60	11	M			X	X					Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
174	Ash	<i>Fraxinus excelsior</i>	19	41	12	M			X						Remove deadwood.	L	L	N	N
175	Sycamore	<i>Acer pseudoplatanus</i>	16	42	14	M			X						Sever ivy at the base of the tree.	L	L	N	N
176	Ash	<i>Fraxinus excelsior</i>	14	33	11	M	X								Leans to the south towards the field, as do most of the trees along the southern boundary.	L	L	N	N
177	Sycamore	<i>Acer pseudoplatanus</i>	16	41	9	M			X						Sever ivy at the base of the tree.	L	L	N	N
177A	Sycamore	<i>Acer pseudoplatanus</i>	11	36	9	M			X		X				Sever ivy at the base of the tree.	L	L	N	N
178	Sycamore	<i>Acer pseudoplatanus</i>	18	51	14	M	X								Root plate beginning to be undermined - monitor annually for safety reasons.	L	L	N	N

179	Ash	<i>Fraxinus excelsior</i>	14	23	14	M	X								No works required.	L	L	N	N
180	Ash	<i>Fraxinus excelsior</i>	18	33	16	M		X							Sever ivy at the base of the tree.	L	L	N	N
181	Sycamore	<i>Acer pseudoplatanus</i>	14	61	8	M	X								No works required.	L	L	N	N
182	Sycamore	<i>Acer pseudoplatanus</i>	9	32	9	M	X								No works required.	L	L	N	N
183	Ash	<i>Fraxinus excelsior</i>	15	41	12	M	X								No works required.	L	L	N	N
184	Sycamore	<i>Acer pseudoplatanus</i>	14	29	10	M	X								No works required.	L	L	N	N
184A	Yew	<i>Taxus baccata</i>	4	16	6	EM	X								No works required.	L	L	N	N
185	Ash	<i>Fraxinus excelsior</i>	16	25	6	M	X								No works required.	L	L	N	N
186	Yew	<i>Taxus baccata</i>	12	36	13	M	X								No works required.	L	L	N	N
187	Horse chestnut	<i>Aesculus hippocastanum</i>	22	100+	26	M			X				X		Minor weeping lesions on trunk from old Phytophthora infection. Large tree in open area at foot of slope and used extensively for rope swings (6 in canopy). Major storm damage and limbs split out in upper canopy. Summer branch drop phenomenon in chestnuts means it is not the safest species to put rope swings in. Lower limb with swing on it has a woodpecker hole in it and appears decayed. Remove swings ASAP.	L	L	Y	N - more swings present than when last surveyed in 2011
188	Sycamore	<i>Acer pseudoplatanus</i>	19	60	9	M			X						Remove deadwood	L	L	N	N
189	Horse chestnut	<i>Aesculus hippocastanum</i>	14	29	7	EM				X					Large basal decay.	M	L	N	N
190	Horse chestnut	<i>Aesculus hippocastanum</i>	17	31	8	M	X								No works required.	L	L	N	N
191	Ash	<i>Fraxinus excelsior</i>	14	27	4	M		X							Sever ivy at the base of the tree.	L	L	N	N
192	Ash	<i>Fraxinus excelsior</i>	19	49	12	M		X							Root plate starting to lift up on top side of banking.	L	L	N	N
193	Ash	<i>Fraxinus excelsior</i>	13	19	8	M		X							Sever ivy at the base of the tree.	L	L	N	N
194	Ash	<i>Fraxinus excelsior</i>	11	20	6	EM		X							Leans towards T187.	L	L	N	N
195	Elm	<i>Ulmus procera</i>	12	31	7	M	X								No works required.	L	L	N	N
196	Elm	<i>Ulmus procera</i>	18	36	12	M		X							Sever ivy at the base of the tree.	L	L	N	N
197	Elm	<i>Ulmus procera</i>	14	29	10	M		X							Sever ivy at the base of the tree.	L	L	N	N
198	Elm	<i>Ulmus procera</i>	20	40	16	M				X					Large basal decay and root decay on west side of tree. Weight of tree on this side so has the potential to collapse. Fell under controlled conditions.	M	L	N	N
199	Elm	<i>Ulmus procera</i>	18	38	14	M	X								No works required.	L	L	N	N
200	Ash	<i>Fraxinus excelsior</i>	17	31	8	M		X							Sever ivy at the base of the tree.	L	L	N	N
201	Ash	<i>Fraxinus excelsior</i>	17	35	12	M	X								No works required.	L	L	N	N
202	Ash	<i>Fraxinus excelsior</i>	14	23	8	M		X							Roots undermined by erosion.	L	L	N	N
203	Ash	<i>Fraxinus excelsior</i>	16	30	12	M	X								No works required.	L	L	N	N
204	Sycamore	<i>Acer pseudoplatanus</i>	14	27	9	M			X						Remove deadwood.	L	L	N	N
205	Horse chestnut	<i>Aesculus hippocastanum</i>	6	2 X 13	9	EM			X						Remove fallen tree resting on lower limb. Reduce lower limb by c50% in length.	L	L	N	N
206	Horse chestnut	<i>Aesculus hippocastanum</i>	11	21	4	EM	X								No works required.	L	L	N	N
207	Sycamore	<i>Acer pseudoplatanus</i>	13	22	8	M	X								No works required.	L	L	N	N

208	Ash	<i>Fraxinus excelsior</i>	16	30	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
209	Horse chestnut	<i>Aesculus hippocastanum</i>	9	2 X 20	8	EM	X								No works required.	L	L	N	N
210	Sycamore	<i>Acer pseudoplatanus</i>	16	38	11	M		X							Sever ivy at the base of the tree.	L	L	N	N
211	Horse chestnut	<i>Aesculus hippocastanum</i>	11	22	10	M	X								Slightly vandalised.	L	L	N	N
212	Sycamore	<i>Acer pseudoplatanus</i>	17	45	9	M					X				Bark wound with decay at 0.5m on south side and at 2m on east side. Recommend further investigation with decay detection equipment.	L	L	N	N
213	Horse chestnut	<i>Aesculus hippocastanum</i>	17	45	10	M					X				Extensive internal decay at 0.75m high. Exposed roots are damaged and decay noted in them. Bark necrosis around wounds. Old weeping lesions noted	M	L	N	N
214	Ash	<i>Fraxinus excelsior</i>	17	44	12	M				X			7		Significant deadwood in the canopy over the path. Canker on trunk and bark wound and decay at 2m high on west side of tree. Evidence of old <i>Innonotus hispidus</i> bracket on trunk - staining. Woodpecker holes at 6m. Pollard to above this point.	L	L	Y	N
215	Horse chestnut	<i>Aesculus hippocastanum</i>	8	18	6	EM				X					Decay in bark wound at 1m high on north side.	L	L	N	N
216	Horse chestnut	<i>Aesculus hippocastanum</i>	16	22	7	M				X					Remove deadwood.	L	L	N	N
217	Sycamore	<i>Acer pseudoplatanus</i>	16	31	8	M	X								No works required.	L	L	N	N
218	Sycamore	<i>Acer pseudoplatanus</i>	15	28	6	EM		X							Bark necrosis from vandalism.	L	L	N	N
219	Horse chestnut	<i>Aesculus hippocastanum</i>	9	26	7	EM				X					Remove hanger ASAP.	M	L	N	N
220	Ash	<i>Fraxinus excelsior</i>	20	61	18	M		X							Sever ivy at the base of the tree.	L	L	N	N
221	Ash	<i>Fraxinus excelsior</i>	19	40	11	M				X					Remove deadwood.	L	L	N	N
222	Ash	<i>Fraxinus excelsior</i>	18	41	9	M	X								No works required.	L	L	N	N
223	Ash	<i>Fraxinus excelsior</i>	19	46	12	M							8		<i>Innonotus hispidus</i> at 4m. Wound and decay noted. Woodpecker holes at 6m on south side. Pollard to 8m to remove top weight.	M	M	Y	N
224	Horse chestnut	<i>Aesculus hippocastanum</i>	18	41	4	M					X				Bark necrosis. Several woodpecker holes in trunk. Fell to thin out the group.	L	M	Y	N
225	Horse chestnut	<i>Aesculus hippocastanum</i>	18	37	6	M					X				Weeping lesions of phytophthora evident on trunk. Monitor on annual basis for health of tree. Many woodpecker holes in upper canopy and trunk	L	M	Y	N
226	Horse chestnut	<i>Aesculus hippocastanum</i>	20	40	12	M				X					Weeping lesions of phytophthora evident on trunk. Monitor on annual basis for health of tree. Weak fork at 5M- recommend removing the limb over the footpath	M	L	N	N
227	Sycamore	<i>Acer pseudoplatanus</i>	18	35	12	M					X				75% of trunk is ring-barked. Basal cavity extending to 2m high with extensive decay. Located next to the footpath. Remove for safety reasons	M	L	N	N
228	Horse chestnut	<i>Aesculus hippocastanum</i>	20	42	12	M				X					Remove deadwood.	L	L	N	N
229	Horse chestnut	<i>Aesculus hippocastanum</i>	12	40	12	M				X					Storm damage to upper canopy has blown the top out. Extent of decay unknown at fracture point. Recommend an aerial inspection of upper canopy to assess decay levels.	L	M	N	N
230	Sycamore	<i>Acer pseudoplatanus</i>	18	37	8	M	X								Decay at 1.5m on south side, bifurcates at 2.5m	L	L	N	N
231	Horse chestnut	<i>Aesculus hippocastanum</i>	20	33	10	M				X					Remove deadwood.	L	L	N	N

232	Horse chestnut	<i>Aesculus hippocastanum</i>	20	90	22	M								3	Trifurcates at base, large limb leans out significantly to the north, weak union of branches at end of limb. Stress marks noted in trunk of tree. Due to chestnuts being prone to summer branch drop we recommend reducing the end weight of the limb and reducing it back to 3m high where the new growth is.	M	M	N	N
233	Ash	<i>Fraxinus excelsior</i>	20	37	9	M		X							Significant decay and broken branch at 4m high. Carry out aerial inspection to monitor integrity of tree.	L	L	N	N
234	Ash	<i>Fraxinus excelsior</i>	17	20	8	M	X								No works required	L	L	N	N
235	Horse chestnut	<i>Aesculus hippocastanum</i>	18	39	10	M	X								No works required	L	L	N	N
236	Horse chestnut	<i>Aesculus hippocastanum</i>	17	30	7	M	X								No works required	L	L	N	N
237	Horse chestnut	<i>Aesculus hippocastanum</i>	20	80	25	M			X						Weeping lesion on northern side at 1m high-appears to be phytophthora. Large basal wound on east extends to c1M high. Bifurcates at 2m in to 2 co-dominant trunks	L	L	N	N
238	Ash	<i>Fraxinus excelsior</i>	20	39	10	M		X	X					7	Cluster of woodpecker holes, (approx. 5) on west side at 5m high. Potential weak spot on trunk may break out in storm conditions so recommend pollarding the tree to c1m above the highest hole so as to retain tree for ecological purposes and reduce the risk.	L	L	Y	N
239	Horse chestnut	<i>Aesculus hippocastanum</i>	10	35	12	M	X								Bifurcates at c4m high and leans significantly to the north down the banking.	L	L	N	N
240	Horse chestnut	<i>Aesculus hippocastanum</i>	9	20	7	M	X								No works required.	L	L	N	N
241	Sycamore	<i>Acer pseudoplatanus</i>	21	40	12	M	X								No works required.	L	L	N	N
242	Sycamore	<i>Acer pseudoplatanus</i>	11	22	5	M		X							Sever ivy at the base of the tree.	L	L	N	N
243	Horse chestnut	<i>Aesculus hippocastanum</i>	14	29	8	M	X								No works required.	L	L	N	N
244	Sycamore	<i>Acer pseudoplatanus</i>	14	23	12	M			X						Remove deadwood.	L	L	N	N
245	Horse chestnut	<i>Aesculus hippocastanum</i>	22	100+	15	M			X						Bifurcates at 0.5m high into 2 co-dominant trunks. Trunk on north has snapped off at 2m high, leaving an area of extensive decay with fruiting bodies of Dryad saddle present. Extent of decay is unknown-monitor remaining stem for decay and fell if required. Carry out PICUS tomograph test to check integrity of trunk.	L	L	N	N
246	Horse chestnut	<i>Aesculus hippocastanum</i>	17	33	12	M			X						Remove deadwood over footpath.	M	L	N	N
247	Horse chestnut	<i>Aesculus hippocastanum</i>	20	38	12	M			X						Remove deadwood.	L	L	N	N
248	Sycamore	<i>Acer pseudoplatanus</i>	18	31	10	M		X							Sever Ivy at the base of the tree.	L	L	N	N
249	Horse chestnut	<i>Aesculus hippocastanum</i>	20	41	19	M			X						Remove deadwood.	L	L	N	N
250	Horse chestnut	<i>Aesculus hippocastanum</i>	19	38	8	M			X						Remove deadwood.	L	L	N	N
251	Horse chestnut	<i>Aesculus hippocastanum</i>	19	38	8	M			X						Remove deadwood.	L	L	N	N
252	Horse chestnut	<i>Aesculus hippocastanum</i>	20	41	12	M			X						Remove deadwood.	L	L	N	N

253	Horse chestnut	<i>Aesculus hippocastanum</i>	20	61	11	M			X						Old phytophthora lesions noted - now dried up. Bottle bottom swelling of lower trunk may be an indication of internal decay being present. Recommend a PICUS tomograph inspection be undertaken due to the trees proximity to the footpath.	L	L	N	N
254	Horse chestnut	<i>Aesculus hippocastanum</i>	20	38	15	M			X						Remove deadwood in canopy over footpath.	M	L	N	N
255	Horse chestnut	<i>Aesculus hippocastanum</i>	22	60	20	M			X						Remove deadwood.	L	L	N	N
256	Horse chestnut	<i>Aesculus hippocastanum</i>	20	56	17	M			X						Large decay cavity on north at 3.5m high.	L	M	N	N
257	Horse chestnut	<i>Aesculus hippocastanum</i>	17	40	12	M	X								No works required.	L	L	N	N
258	Horse chestnut	<i>Aesculus hippocastanum</i>	15	32	8	M			X			X		10	Cavity in upper canopy - recommend removal of top 30% of crown to below weak point.	L	M	N	N
259	Horse chestnut	<i>Aesculus hippocastanum</i>	20	60	12	M						X			Basal damage on north with brown cubical rot noted (extent of which is unknown). Decay pocket also on eastern side at 1.5m high. Recommend PICUS due to location next to the footpath and fell if required for safety reasons.	M	L	N	N
260	Horse chestnut	<i>Aesculus hippocastanum</i>	18	45	12	M			X				X		Lower limb on southern side at 3m high has rope swing attached. Branch has a weak union so recommend removing the swing both for H&S reasons and also to save branch from strangulation. Alternative option is to remove branch. Warning signs advising not to erect rope swings maybe required, but policing this would be impracticable.	L	L	N	N
261	Horse chestnut	<i>Aesculus hippocastanum</i>	18	39	12	M			X						Remove deadwood in canopy over footpath.	L	L	N	N
262	Horse chestnut	<i>Aesculus hippocastanum</i>	17	35	8	M								12	Large limb on floor torn out from 6m high with decay noted in wound. Pollard to below this point to remove upper canopy and risk.	L	L	N	N
263	Sycamore	<i>Acer pseudoplatanus</i>	14	20	6	EM	X								No works required.	L	L	N	N
264	Ash	<i>Fraxinus excelsior</i>	15	18	3	M	X								No works required.	L	L	N	N
265	Ash	<i>Fraxinus excelsior</i>	14	22	8	M		X							Sever ivy at the base of the tree.	L	L	N	N
266	Ash	<i>Fraxinus excelsior</i>	15	22	5	M	X								No works required.	L	L	N	N
267	Sycamore	<i>Acer pseudoplatanus</i>	13	22	8	M	X								No works required.	L	L	N	N
268	Horse chestnut	<i>Aesculus hippocastanum</i>	20	55	20	M			X						Remove deadwood.	L	L	N	N
269	Horse chestnut	<i>Aesculus hippocastanum</i>	22	65	16	M			X				X		Rope swing on lower limb (with decay in it). Remove swing and branch for H&S reasons.	L	L	N	N
270	Horse chestnut	<i>Aesculus hippocastanum</i>	19	39	7	M					X				Large wound on east to 2m high. Extent of brown cubical rot unknown. Recommend removal in long term on safety grounds (within 2 years).	L	L	N	N
271	Sycamore	<i>Acer pseudoplatanus</i>	18	35	8	M			X						Remove deadwood in canopy over footpath. Significant vandalism evident to trunk up to 2m high. Several areas of decay - extent unknown. Located adjacent to footpath so recommend a PICUS test be undertaken.	L	L	N	N

272	Sycamore	<i>Acer pseudoplatanus</i>	13	29	0	M					X	X		6	Dead tree - retain for habitats but pollard to 6M high to remove risk in upper canopy. Alternative option is to fell to ground level to remove risk totally.	M	M	Y	N
273	Sycamore	<i>Acer pseudoplatanus</i>	22	55	8	M			X						Large basal wound at ground level up to 0.5m high on south side. Brown cubical rot noted, the extent of which is unknown. Other bark damage evident on remainder of tree to a height of c2m. Remove deadwood over the path and carry out a PICUS inspection.	L	L	N	N
274	Sycamore	<i>Acer pseudoplatanus</i>	14	32	5	M					X				Extensive basal decay up to c2m high, with brown cubical rot noted. Located adjacent to footpath - recommend felling on safety grounds.	M	M	N	N
275	Sycamore	<i>Acer pseudoplatanus</i>	20	45	12	M			X						Extensive basal decay on west side. Recommend PICUS test to determine extent of decay. Bottle-bottom swelling of trunk may indicate extensive internal decay. If decay is excessive and over 70% of the cross sectional area of the trunk then the tree should be felled. if proved to be safe then remove deadwood only.	L	L	N	N
276	Ash	<i>Fraxinus excelsior</i>	5	35	0	M						X			Dead stump covered in ivy - retain for ecological purposes, possible bat habitat.	L	M	N	N
277	Hawthorn	<i>Crataegus monogyna</i>	6	22	6	M		X							Sever ivy at the base of the tree.	L	L	N	N
278	Ash	<i>Fraxinus excelsior</i>	15	38	9	M			X						Remove deadwood.	L	L	N	N
279	Sycamore	<i>Acer pseudoplatanus</i>	13	31	6	M	X								No works required.	L	L	N	N
280	Sycamore	<i>Acer pseudoplatanus</i>	19	36	8	M			X						Remove deadwood.	L	L	N	N
281	Horse chestnut	<i>Aesculus hippocastanum</i>	19	31	8	M			X						Weeping lesions maybe an indication of mild phytophthora infection.	L	L	N	N
282	Horse chestnut	<i>Aesculus hippocastanum</i>	15	22	6	M			X						Remove deadwood.	L	L	N	N
282A	Sycamore	<i>Acer pseudoplatanus</i>	15	22	6	M			X						Remove deadwood.	L	L	N	N
283	Ash	<i>Fraxinus excelsior</i>	19	40	10	M			X						Old Innonotus hispidus (Ash Heart Rot), fruiting bodies on the trunk and floor. Monitor annually and remove when required.	M	L	N	N
284	Ash	<i>Fraxinus excelsior</i>	19	32	12	M			X						Remove deadwood.	L	L	N	N
285	Horse chestnut	<i>Aesculus hippocastanum</i>	18	33	10	M			X						Remove deadwood.	L	L	N	N
286	Horse chestnut	<i>Aesculus hippocastanum</i>	17	33	8	M			X						Remove hanging branch from over footpath.	M	L	N	N
287	Ash	<i>Fraxinus excelsior</i>	19	22 x3	12	M		X	X						Group of 3 trees.	L	L	N	N
288	Horse chestnut	<i>Aesculus hippocastanum</i>	14	28	9	M	X								No works required.	L	L	N	N
289	Ash	<i>Fraxinus excelsior</i>	17	26	7	M			X						Remove deadwood.	L	L	N	N
290	Ash	<i>Fraxinus excelsior</i>	20	32	8	M	X								No works required.	L	L	N	N
291	Ash	<i>Fraxinus excelsior</i>	18	60	15	M			X						Sever ivy at the base of the tree.	L	L	N	N
292	Ash	<i>Fraxinus excelsior</i>	20	38	12	M			X						Sever ivy at the base of the tree.	L	L	N	N
293	Ash	<i>Fraxinus excelsior</i>	16	22 x3	12	M			X						Trifurcates at ground level.	L	L	N	N
294	Ash	<i>Fraxinus excelsior</i>	18	23	6	M	X								No works required.	L	L	N	N
295	Sycamore	<i>Acer pseudoplatanus</i>	15	22 x2	8	M			X						Sever ivy at the base of the tree.	L	L	N	N
296	Horse chestnut	<i>Aesculus hippocastanum</i>	15	22	8	M	X								No works required.	L	L	N	N
297	Horse chestnut	<i>Aesculus hippocastanum</i>	12	18	9	M	X								No works required.	L	L	N	N
298	Ash	<i>Fraxinus excelsior</i>	15	20	4	M	X								No works required.	L	L	N	N
299	Ash	<i>Fraxinus excelsior</i>	18	26	10	M	X								No works required.	L	L	N	N

300	Horse chestnut	<i>Aesculus hippocastanum</i>	12	22	10	M	X								No works required.	L	L	N	N
301	Sycamore	<i>Acer pseudoplatanus</i>	12	21	8	M	X								No works required.	L	L	N	N
302	Ash	<i>Fraxinus excelsior</i>	15	20	5	M		X							Sever ivy at the base of the tree.	L	L	N	N
303	Ash	<i>Fraxinus excelsior</i>	19	31	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
304	Sycamore	<i>Acer pseudoplatanus</i>	14	21	7	M	X								No works required.	L	L	N	N
305	Apple	<i>Malus cv</i>	11	22	7	M		X							Sever ivy at the base of the tree.	L	L	N	N
306	Sycamore	<i>Acer pseudoplatanus</i>	15	31	9	M			X						Remove deadwood.	L	L	N	N
307	Sycamore	<i>Acer pseudoplatanus</i>	15	32	9	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
308	Ash	<i>Fraxinus excelsior</i>	18	49	12	M					X	X			Trifurcates at ground level. Large decay pocket and split in two of the trunks at the base-fell these on H&S grounds and stack timber in habitat piles. Retain single trunk.	L	L	N	N
309	Sycamore	<i>Acer pseudoplatanus</i>	19	41	12	M		X							Sever ivy at the base of the tree.	L	L	N	N
310	Ash	<i>Fraxinus excelsior</i>	15	19	6	M		X							Roots undermined by rabbit warren causing tree to lean towards the north.	L	L	N	N
311	Ash	<i>Fraxinus excelsior</i>	20	35	15	M		X							Sever ivy at the base of the tree.	L	L	N	N
312	Sycamore	<i>Acer pseudoplatanus</i>	15	15	5	M		X							Sever ivy at the base of the tree.	L	L	N	N
313	Sycamore	<i>Acer pseudoplatanus</i>	19	50	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
314	Ash	<i>Fraxinus excelsior</i>	14	21	8	M	X								No works required.	L	L	N	N
315	Ash	<i>Fraxinus excelsior</i>	16	18	4	M		X							Sever ivy at the base of the tree.	L	L	N	N
316	Ash	<i>Fraxinus excelsior</i>	19	30	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
317	Ash	<i>Fraxinus excelsior</i>	17	45	12	M		X							Bifurcates at ground level.	L	L	N	N
318	Sycamore	<i>Acer pseudoplatanus</i>	10	12	5	EM	X								No works required.	L	L	N	N
319	Ash	<i>Fraxinus excelsior</i>	19	18 x2	8	M		X							Sever ivy at the base of the tree.	L	L	N	N
320	Sycamore	<i>Acer pseudoplatanus</i>	15	29	8	M					X				Large decay pocket at 1m high and also in upper canopy. Fell for safety reasons.	M	L	N	N
321	Ash	<i>Fraxinus excelsior</i>	19	29	9	M		X	X						Bifurcates at base. One limb decayed and dead to be removed for safety reasons.	L	L	N	N
322	Ash	<i>Fraxinus excelsior</i>	14	22	7	M		X							Sever ivy at the base of the tree.	L	L	N	N
323	Ash	<i>Fraxinus excelsior</i>	15	31	15	M		X							Leaning significantly to the north.	L	L	N	N
324	Ash	<i>Fraxinus excelsior</i>	19	25	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
325	Ash	<i>Fraxinus excelsior</i>	19	25	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
326	Ash	<i>Fraxinus excelsior</i>	19	25	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
327	Sycamore	<i>Acer pseudoplatanus</i>	19	25	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
328	Ash	<i>Fraxinus excelsior</i>	18	2 X 29	14	M			X				X		Tree bifurcates at ground level.	L	L	N	N
329	Ash	<i>Fraxinus excelsior</i>	17	21	8	M			X						Remove deadwood.	L	L	N	N
330	Ash	<i>Fraxinus excelsior</i>	17	22	5	M			X						Remove deadwood.	L	L	N	N
331	Ash	<i>Fraxinus excelsior</i>	19	30	12	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
332	Ash	<i>Fraxinus excelsior</i>	19	30	12	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
333	Sycamore	<i>Acer pseudoplatanus</i>	4	2 X 18	14	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N

334	Sycamore	<i>Acer pseudoplatanus</i>	15	40	9	M			X						This tree is a coppice stool & has 4 stems from ground level.	L	L	N	N
335	Ash	<i>Fraxinus excelsior</i>	20	32	14	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
336	Ash	<i>Fraxinus excelsior</i>	14	20	7	M		X							Sever ivy at the base of the tree.	L	L	N	N
337	Ash	<i>Fraxinus excelsior</i>	20	75		M		X	X						Coppice stool with 4 stems, remove deadwood for safety reasons.	L	L	N	N
338	Sycamore	<i>Acer pseudoplatanus</i>	14	19	8	M	X								No works required.	L	L	N	N
339	Sycamore	<i>Acer pseudoplatanus</i>	11	14	6	E/M			X						Remove deadwood.	L	L	N	N
340	Crab Apple	<i>Malus sylvestris</i>	11	16	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
341	Sycamore	<i>Acer pseudoplatanus</i>	11	15	8	M					X				Large decay cavity 2/3rds the way up main stem.	L	L	N	N
342	Sycamore	<i>Acer pseudoplatanus</i>	14	18	9	M			X						Hanging branch in canopy to be removed.	L	L	N	N
343	Horse chestnut	<i>Aesculus hippocastanum</i>	17	31	15	M		X	X						Old phytophthora weeping wounds noted on trunk but now appeared to of dried up and clearing.	L	L	N	N
344	Sycamore	<i>Acer pseudoplatanus</i>	18	40	13	M		X	X						Remove hanging limb over footpath.	M	L	N	N
345	Crab Apple	<i>Malus sylvestris</i>	9	35	9	M		X							Ivy in canopy.	L	L	N	N
346	Hawthorn	<i>Crataegus monogyna</i>	9	40	12	M		X							Ivy in canopy.	L	L	N	N
347	Sycamore	<i>Acer pseudoplatanus</i>	9	16	8	M			X						Leans over footpath.	L	L	N	N
348	Crab Apple	<i>Malus sylvestris</i>	14	30	10	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
349	Sycamore	<i>Acer pseudoplatanus</i>	17	31	12	M		X	X						Located near footpath.	M	L	N	N
350	Ash	<i>Fraxinus excelsior</i>	17	21	12	M	X								No works required.	L	L	N	N
351	Sycamore	<i>Acer pseudoplatanus</i>	14	15	6	M			X						Remove deadwood.	L	L	N	N
352	Sycamore	<i>Acer pseudoplatanus</i>	14	15	6	M			X						Remove deadwood.	L	L	N	N
353	Sycamore	<i>Acer pseudoplatanus</i>	14	15	6	M			X						Remove deadwood.	L	L	N	N
354	Ash	<i>Fraxinus excelsior</i>	21	25	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
355	Sycamore	<i>Acer pseudoplatanus</i>	18	29	12	M		X							Sever ivy at the base of the tree.	L	L	N	N
356	Apple	<i>Malus cv</i>	9	20		M		X	X						Remove deadwood over footpath.	L	L	N	N
357	Sycamore	<i>Acer pseudoplatanus</i>	17	25	12	M		X							Sever ivy at the base of the tree.	L	L	N	N
358	Sycamore	<i>Acer pseudoplatanus</i>	17	22	7	M		X	X						Remove deadwood over footpath.	L	L	N	N
359	Sycamore	<i>Acer pseudoplatanus</i>	17	22	7	M		X	X						Remove deadwood over footpath.	L	L	N	N
360	Ash	<i>Fraxinus excelsior</i>	18	2 X 22	14	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
361	Sycamore	<i>Acer pseudoplatanus</i>	17	25	10	M		X							Sever Ivy at the base of the tree	L	L	N	N
362	Sycamore	<i>Acer pseudoplatanus</i>	17	37	9	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
363	Sycamore	<i>Acer pseudoplatanus</i>	18	2 X 21	9	M		X	X						Tree is an old coppice stool at 0.5m high, 2 co-dominants.	L	L	N	N
364	Ash	<i>Fraxinus excelsior</i>	20	75	14	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L		N	N

365	Ash	<i>Fraxinus excelsior</i>	15	32	9	M	X								No works required	L		N	N
366	Ash	<i>Fraxinus excelsior</i>	20	75	14	M		X	X						Tree overhangs footpath.	M	L	N	N
367	Ash	<i>Fraxinus excelsior</i>	11	18	10	E/M			X						Tree leans over footpath	L	L	N	N
368	Sycamore	<i>Acer pseudoplatanus</i>	17	31	9	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
369	Sycamore	<i>Acer pseudoplatanus</i>	17	45	9	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
370	Ash	<i>Fraxinus excelsior</i>	18	22	7	M		X							Sever ivy at the base of the tree.	L	L	N	N
371	Ash	<i>Fraxinus excelsior</i>	18	22	7	M		X							Tree bifurcates at 1m high into two co dominants.	L	L	N	N
372	Sycamore	<i>Acer pseudoplatanus</i>	17	60	12	M		X	X						Old coppice stool, four main stems.	L	L	N	N
373	Ash	<i>Fraxinus excelsior</i>	17	60	12	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
374	Ash	<i>Fraxinus excelsior</i>	17	19	7	M		X							Sever ivy at the base of the tree.	L	L	N	N
375	Apple	<i>Malus cv</i>	6	20	8	M		X							Leans out to field.	L	L	N	N
376	Sycamore	<i>Acer pseudoplatanus</i>	18	65	15	M		X	X						Tree is coppiced at 0.5m high & has regrown from this.	L	L	N	N
377	Ash	<i>Fraxinus excelsior</i>	19	40	12	M			X						Remove deadwood.	L	L	N	N
378	Sycamore	<i>Acer pseudoplatanus</i>	10	21	5	M			X						Remove deadwood.	L	L	N	N
379	Sycamore	<i>Acer pseudoplatanus</i>	11	15	5	E/M		X							Sever ivy at the base of the tree.	L	L	N	N
380	Ash	<i>Fraxinus excelsior</i>	17	35	9	M		X							Sever ivy at the base of the tree.	L	L	N	N
381	Sycamore	<i>Acer pseudoplatanus</i>	17	25	5	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
382	Ash	<i>Fraxinus excelsior</i>	19	27	12	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
383	Sycamore	<i>Acer pseudoplatanus</i>	14	15	9	M			X						Hanging branch in canopy.	M	L	N	N
384	Apple	<i>Malus cv</i>	6	21	14	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
385	Ash	<i>Fraxinus excelsior</i>	7	15	11	M					X				Remove for safety reasons , snapped off at 1m high & leaning over a footpath.	M	L	N	N
386	Ash	<i>Fraxinus excelsior</i>	20	32	9	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
387	Ash	<i>Fraxinus excelsior</i>	15	20	8	M		X							Sever ivy at the base of the tree.	L	L	N	N
388	Ash	<i>Fraxinus excelsior</i>	15	31	8	M		X							Sever ivy at the base of the tree.	L	L	N	N
389	Ash	<i>Fraxinus excelsior</i>	6	16	14	M		X							Tree leans significantly to north east because of the weight of the ivy, ivy same diameter as the tree.	L	L	N	N
390	Ash	<i>Fraxinus excelsior</i>	20	31	14	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
391	Ash	<i>Fraxinus excelsior</i>	15	20	7	M		X							Sever ivy at the base of the tree.	L	L	N	N
392	Ash	<i>Fraxinus excelsior</i>	12	15	7	M	X								No works required.	L	L	N	N
393	Sycamore	<i>Acer pseudoplatanus</i>	20	50	14	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
394	Ash	<i>Fraxinus excelsior</i>	18	65	18	M		X	X						Large limb hanging out over field, growing towards the north west, reduce back to fence line.	L	L	N	N
395	Sycamore	<i>Acer pseudoplatanus</i>	12	25	9	M	X								Located on field edge corner tree between the angles changing, and coppice on field edge needs pruning back.	L	L	N	N

396	Apple	<i>Malus cv</i>	12	40	14	M						X				Tree is in poor health, major limb snapped off due to storm damage with decay evident, remove for safety reasons located next to footpath.	L	M	N	N
397	Sycamore	<i>Acer pseudoplatanus</i>	18	12	11	M			X	X						As with all Sycamores in this region multi stemmed, coppice stool needs flailing back to the hedge line.	L	L	N	N
398	Sycamore	<i>Acer pseudoplatanus</i>	14	21	7	M			X							Sever ivy at the base of the tree.	L	L	N	N
399	Sycamore	<i>Acer pseudoplatanus</i>	20	100+	14	M			X							Multi stemmed coppice 5 stems.	L	L	N	N
400	Sycamore	<i>Acer pseudoplatanus</i>	20	30	15	M			X							Group of Sycamores multi stemmed.	L	L	N	N
401	Apple	<i>Malus cv</i>	7	2 X 18	9	M			X							50% dead, has some cracks/crevices in trunk.	L	H	N	N
402	Ash	<i>Fraxinus excelsior</i>	12	29	10	M			X							Top blown out of it , fair bit of storm damage, slight bark necrosis and lots of holes the size of air pellets, possible woodpecker holes - difficult to tell.	L	L	Y	N
403	Sycamore	<i>Acer pseudoplatanus</i>	18	35	11	M		X								Children have built a den under these trees.	L	L	N	N
404	Ash	<i>Fraxinus excelsior</i>	18	29	8	M			X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
405	Ash	<i>Fraxinus excelsior</i>	21	30	16	M			X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
406	Ash	<i>Fraxinus excelsior</i>	20	80	14	M			X	X						Located near footpath, tree is an old pollard and bifurcates at 1m high.	L	L	N	N
407	Ash	<i>Fraxinus excelsior</i>	18	21	11	M			X							Remove deadwood.	L	L	N	N
408	Ash	<i>Fraxinus excelsior</i>	18	21	11	M			X							Remove deadwood.	L	L	N	N
409	Sycamore	<i>Acer pseudoplatanus</i>	10	14	5	E/M		X								No works required.	L	L	N	N
410	Ash	<i>Fraxinus excelsior</i>	13	18	11	M			X							Tree is leaning south west due to the ivy.	L	L	N	N
411	Ash	<i>Fraxinus excelsior</i>	17	25	9	M			X							Remove deadwood.	L	L	N	N
412	Horse chestnut	<i>Aesculus hippocastanum</i>	8	21	9	M		X								No works required.	L	L	N	N
413	Ash	<i>Fraxinus excelsior</i>	18	19	7	E/M		X								No works required.	L	L	N	N
414	Ash	<i>Fraxinus excelsior</i>	20	31	9	M			X							Sever ivy at the base of the tree.	L	L	N	N
415	Ash	<i>Fraxinus excelsior</i>	19	2 X 20	25	M			X							Both stems growing towards north-east, one more significantly than the other, weight of the ivy is pulling the canopy down.	L	L	N	N
416	Sycamore	<i>Acer pseudoplatanus</i>		85	18	M			X	X						Trifurcated pollard at 1m high.	L	L	N	N
417	Ash	<i>Fraxinus excelsior</i>	15	29	10	M			X							Remove deadwood.	L	L	N	N
418	Ash	<i>Fraxinus excelsior</i>	22	85	17	M			X	X				6		Significant basal decay at bottom of tree, Fungal brackets of <i>Daldinia concentrica</i> on lower branch, large pockets of decay at base, located near footpath recommend pollarding to 6m for safety reasons.	M	M	N	N
419	Sycamore	<i>Acer pseudoplatanus</i>	12	35	9	M		X								Trifurcated coppice stool, basal decay at bottom.	L	L	N	N
420	Ash	<i>Fraxinus excelsior</i>	21	32	12	M			X							Sever ivy at the base of the tree.	L	L	N	N
421	Sycamore	<i>Acer pseudoplatanus</i>	17	29	9	M			X							Remove deadwood.	L	L	N	N
422	Ash	<i>Fraxinus excelsior</i>	18	60	11	M			X	X						Bifurcates at 1/2 m high, remove ivy from one major limb on southern side.	L	L	N	N
423	Horse chestnut	<i>Aesculus hippocastanum</i>	18	35	16	M			X							Remove deadwood.	L	L	N	N
424	Ash	<i>Fraxinus excelsior</i>	19	75	12	M			X	X						Trifurcated coppice stool.	L	L	N	N

424A	Sycamore	<i>Acer pseudoplatanus</i>	7	14	6	E/M					X					Large basal decay.	L	L	N	N
425	Ash	<i>Fraxinus excelsior</i>	22	26	7	M	X									No works required.	L	L	N	N
426	Ash	<i>Fraxinus excelsior</i>	22	38	16	M		X	X							Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
427	Sycamore	<i>Acer pseudoplatanus</i>	21	29	8	M		X	X							Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
428	Sycamore	<i>Acer pseudoplatanus</i>	20	2 X 21	17	M		X	X							Tree bifurcates at 1/2m high.	L	L	N	N
429	Ash	<i>Fraxinus excelsior</i>	18	40	16	M		X								Sever ivy at the base of the tree.	L	L	N	N
430	Sycamore	<i>Acer pseudoplatanus</i>	17	33	9	M			X							Remove deadwood.	L	L	N	N
431	Ash	<i>Fraxinus excelsior</i>	14	35	7	M			X	X						Bifurcated specimen, leans out towards the field to the west. Prune back branches overhanging field .	L	L	N	N
431A	Sycamore	<i>Acer pseudoplatanus</i>	16	40		M	X									Trifurcates at 1/2m high coppice stool.	L	L	N	N
431B	Ash	<i>Fraxinus excelsior</i>	16	40		M	X									Trifurcates at 1/2m high coppice stool.	L	L	N	N
432	Ash	<i>Fraxinus excelsior</i>	20	31	12	M		X								Remove branches overhanging field.	L	L	N	N
433	Ash	<i>Fraxinus excelsior</i>	18	31	9	M		X	X							Ivy in canopy.	L	L	N	N
434	Ash	<i>Fraxinus excelsior</i>	21	90		M		X	X							Big Ash coppice stool on side of field with 4 stems. Risk of public tripping over exposed roots in footpath. Also large branch overhanging footpath . Branch needs pruning urgently.	M	L	N	N
435	Sycamore	<i>Acer pseudoplatanus</i>	18	45	12	M		X	X							Basal decay noticed.	L	L	N	N
436	Sycamore	<i>Acer pseudoplatanus</i>	20	22	18	M		X	X							Large coppiced Sycamore, basal decay approximately 7 stems.	L	L	N	N
437	Ash	<i>Fraxinus excelsior</i>	25	40	18	M		X	X							Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
438	Sycamore	<i>Acer pseudoplatanus</i>	14	18	9	M		X	X							Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
439	Ash	<i>Fraxinus excelsior</i>	20	29	8	M		X	X							Significant bark necrosis and decay in lower trunk.	L	L	N	N
440	Ash	<i>Fraxinus excelsior</i>				OM						X				Old stump of a tree that's blown over, good example of how shallow the root system is, looking at possibly 100 - 200ml at the most, very shallow soils in this area	L	L	N	N
441	Ash	<i>Fraxinus excelsior</i>	12	25	11	M		X								Tree leans significantly over to the east due to the weight of the ivy in canopy. Daldinia at base indicates that the tree is in distress. Possible decay in main stem	L	L	N	N
442	Sycamore	<i>Acer pseudoplatanus</i>	20	60	18	M		X								Coppiced stool of Sycamores.	L	L	N	N
443	Ash	<i>Fraxinus excelsior</i>	18	39	9	M		X								Sever ivy at the base of the tree.	L	L	N	N
444	Ash	<i>Fraxinus excelsior</i>	20	100+	16	M		X	X							Coppiced stool of 4 stems.	L	L	N	N
445	Sycamore	<i>Acer pseudoplatanus</i>	18	25	12	M		X								Sever ivy at the base of the tree.	L	L	N	N
446	Sycamore	<i>Acer pseudoplatanus</i>	11	40	9	M						X				Large basal cavity, tree is 80% dead. Necrosis on the trunk, woodpecker holes in canopy , retain for deadwood. located on woodland edge.	L	M	Y	N
447	Sycamore	<i>Acer pseudoplatanus</i>	12	90	9	M	X									This is a coppiced specimen with approximately 8 or 9 stems.	L	L	N	N

448	Ash	<i>Fraxinus excelsior</i>	22	35	12	M			X			X			Tree leans towards the east down a banking, has a low branch emanating about 1/2m from ground level across the unofficial footpath which is dead retain for deadwood.	L	L	N	N
449	Ash	<i>Fraxinus excelsior</i>	16	30	9	M	X								Leans out west towards the field.	L	L	N	N
450	Sycamore	<i>Acer pseudoplatanus</i>	18	2 X 23	14	M		X	X						Bifurcated specimen minor basal decay.	L	L	N	N
451	Sycamore	<i>Acer pseudoplatanus</i>	18	25	9	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
452	Sycamore	<i>Acer pseudoplatanus</i>	18	25	9	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
453	Sycamore	<i>Acer pseudoplatanus</i>	20	45	9	M		X	X						Located near footpath, old coppice stool of 3 stems.	L	L	N	N
454	Sycamore	<i>Acer pseudoplatanus</i>	20	65	9	M		X							Old coppice stool growing west towards the field.	L	L	N	N
455	Sycamore	<i>Acer pseudoplatanus</i>	19	35	17	M	X								No works required.	L	L	N	N
456	Ash	<i>Fraxinus excelsior</i>	22	39	15	M		X							Sever ivy at the base of the tree.	L	L	N	N
457	Ash	<i>Fraxinus excelsior</i>	16	35	12	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
458	Horse chestnut	<i>Aesculus hippocastanum</i>	12	20	6	M			X						Remove hanging branch from canopy over footpath.	M	L	N	N
459	Ash	<i>Fraxinus excelsior</i>	25	90	18	M	X								Has 4 major stems. Major risk with this tree is a trip hazard with roots, again the footpath eroded away the soil around it exposing roots which have now created a trip hazard.	L	L	N	N
460	Sycamore	<i>Acer pseudoplatanus</i>	22	70	16	M			X						Remove deadwood.	L	L	N	N
461	Ash	<i>Fraxinus excelsior</i>	12	2 X 22	16	M	X								No works required.	L	L	N	N
462	Ash	<i>Fraxinus excelsior</i>	12	17	8	M	X								Tree leans out slightly to the west of the field.	L	L	N	N
463	Sycamore	<i>Acer pseudoplatanus</i>	18	30	9	M	X								No works required.	L	L	N	N
464	Sycamore	<i>Acer pseudoplatanus</i>	20	50	18	M		X	X						Sever the ivy at the base of the tree and remove all deadwood.	L	L	N	N
465	Sycamore	<i>Acer pseudoplatanus</i>	22	35	18	M		X							Sever ivy at the base of the tree.	L	L	N	N
466	Sycamore	<i>Acer pseudoplatanus</i>	22	35	9	M	X								No works required.	L	L	N	N
467	Sycamore	<i>Acer pseudoplatanus</i>	22	40	15	M	X								No works required.	L	L	N	N
468	Ash	<i>Fraxinus excelsior</i>	22	50	17	M		X							Sever ivy at the base of the tree.	L	L	N	N
469	Ash	<i>Fraxinus excelsior</i>	21	40	9	M		X							Large basal cavity extending 50% of base of tree, pollard to 9m high, allow small holly at base to grow.	L	L	N	N
470	Sycamore	<i>Acer pseudoplatanus</i>	12	25	9	M		X							Sever ivy at the base of the tree.	L	L	N	N